(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

| and soil name | Pct. of map unit | i I | | Picnic areas | | Playgrounds | |
|------------------------|------------------------------------|--|-------------------------|---|----------------------------------|--|--|
| | | | | Rating class and limiting features | | | |
| Ad: Adrian, drained | | Depth to saturated zone Ponding Content of | 1.00 1.00 | Ponding Depth to saturated zone | 1.00 1.00 1.00 | Content of organic matter | 1.00 1.00 1.00 |
| 3e: Beaches | 100 | Not rated | | Not rated | | Not rated | |
| BnA: Blount | | Restricted permeability Depth to | 1.00 1.00 | | 1.00 0.94 | | 1.00 1.00 |
| BoB: Boyer | | Somewhat limited Too sandy | | | 0.88 | Slope | 0.88 0.13 |
| | | Somewhat limited Too sandy | | | 0.88 | | 0.88 0.13 |
| BoC: Boyer | 1 | Somewhat limited Too sandy Slope | 0.88 | Too sandy Slope | 0.88 | Too sandy | 1.00 0.88 |
| Ormas | 1 | Too sandy | 0.88 | | 0.88 | Very limited Slope Too sandy | 1.00 0.88 |
| BoD: Boyer | | Slope | 1.00 | Slope | 1.00 0.88 | Too sandy | 1.00 0.88 |
| Ormas | | Slope Too sandy | 1.00 0.88 | Slope | 1.00 | | 1.00 0.88 |
| Table REC-1Recreat | ion | | I | I | I | I | ı |
| and soil name | Pct. of map unit | I I | | Picnic areas | | Playgrounds | |
| | | | | Rating class and limiting features | | | |
| BtA: Brems | | Too sandy Depth to | 0.95 0.07 | Too sandy | 0.95 0.03 | Somewhat limited Too sandy Depth to saturated zone | 0.95 0.07 |
| | I | Very limited Depth to saturated zone | 1.00 | Depth to | 1.00 | | 11.00 |

| | | | | Restricted permeability | | | 0.21 |
|-----------------|--------------|---|--------------------|---------------------------------|----------|---|--------------------|
| CaC: | i | | i | | i | į | i |
| Casco | 100 | Gravel content | 0.24 | Gravel content | 0.24 | Very limited Slope Gravel content | 1.00 1.00 |
| CaD2: | İ | | | | | | |
| Casco | 100 | Very limited Slope Gravel content | 1.00 0.24 | | 11.00 | | 1.00 1.00 |
| CcA: | İ | | İ | | İ | İ | i |
| Carmi | 100 | Not limited | | Not limited | | Somewhat limited Gravel content | 10.08 |
| ChB: | | ! | | | | | |
| Chelsea | 100 | | | Somewhat limited Too sandy | 0.95 | Too sandy | 0.95 |
| | | | | | 1 | Slope | 0.50 |
| ChC: Chelsea | 1100 | | İ | | İ | | İ |
| Cheisea | 1100 | | | Too sandy | | | 11.00 |
| | | Slope | 0.04 | Slope | 0.04 | Too sandy | 0.95 |
| Co: | İ | ! | | | | | |
| Cohoctah | | | | Very limited Depth to | | | 11.00 |
| | i | saturated zone | 1 | saturated zone | | saturated zone | İ |
| | | Flooding | 1.00 | Flooding | 0.40 | Flooding | 11.00 |
| CrA: Crosier | | | 1 | Compribat limited | I | IVonus limited | 1 |
| Closiei | 1 | Depth to | 11.00 | Restricted | 0.98 | Depth to | 11.00 |
| | | | | permeability Depth to | | saturated zone Restricted | 10.98 |
| | į | | | saturated zone | 1 | permeability | İ |
| | | | I | | | Slope | 0.01 |
| Dr: Del Rev | 90 | Very limited | l I | Somewhat limited | 1 | Very limited | |
| DOI NOY | | Depth to | 1.00 | Restricted | 0.96 | Depth to | 11.00 |
| | | | | permeability Depth to | | saturated zone Restricted | |
| | į | permeability | | saturated zone | | | |
| m 1 1 mmg 1 m | ! | l | I | I | I | I | I |

Table REC-1.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | i I | | Picnic areas | | Playgrounds | |
|--------------------------|------------------------------------|---|--------------------|--|-------------------------|--|--|
| | i | | | Rating class and | | | |
| | | limiting features | | limiting features | | limiting features | |
| Ed: | - | 1 | | | | 1 | |
| Edwards | 100 | | 1.00 1.00 | Depth to saturated zone Content of organic matter | 1.00 1.00 | Very limited Depth to saturated zone Content of organic matter Restricted permeability | 1.00 1.00 0.43 |
| GnB: Glynwood | 90 | Restricted | 11.00 | | | Very limited Restricted | 1 |
| | | permeability Depth to saturated zone | | permeability Depth to saturated zone | 0.19 | permeability Slope Depth to saturated zone | 0.50 0.39 |
| Gs: | i | İ | i | l I | | I I | İ |
| Granby Variant | 100 | | 11.00 | Very limited Depth to saturated zone | | Very limited Depth to saturated zone | 11.00 |
| | į | Flooding | | Too sandy | 0.88 | Flooding | 11.00 |
| HaA: Haskins | 90 | Very limited Depth to saturated zone Restricted permeability | 11.00 | Restricted permeability | | Very limited Depth to saturated zone Restricted permeability Slope | 1.00 0.98 0.01 |
| Hn: | | | 1 | | | | 1 |

| Histosols 100 | Very limited | | Very limited | | Very limited | 1 |
|--------------------------|----------------|------|----------------|------|------------------|------|
| I | Depth to | 1.00 | Depth to | 1.00 | Depth to | 1.00 |
| 1 | saturated zone | 1 | saturated zone | 1 | saturated zone | |
| I | 1 | | 1 | | | 1 |
| Ht: | 1 | | 1 | | | 1 |
| Houghton, undrained- 75 | Very limited | | Very limited | | Very limited | 1 |
| I | Depth to | 1.00 | Ponding | 1.00 | Depth to | 1.00 |
| I | saturated zone | 1 | T | | saturated zone | |
| 1 | Ponding | 1.00 | Depth to | 1.00 | Content of | 1.00 |
| 1 | 1 | | saturated zone | | organic matter | 1 |
| I | Content of | 1.00 | Content of | 1.00 | Ponding | 1.00 |
| 1 | organic matter | | organic matter | | | 1 |
| 1 | 1 | | 1 | | | 1 |
| Hw: | 1 | | 1 | | | 1 |
| Houghton, drained 75 | Very limited | | Very limited | | Very limited | 1 |
| 1 | Depth to | 1.00 | Ponding | 1.00 | Depth to | 1.00 |
| I I | saturated zone | 1 | T | | saturated zone | |
| 1 | Ponding | 1.00 | Depth to | 1.00 | Content of | 1.00 |
| 1 | 1 | | saturated zone | | organic matter | 1 |
| I I | | | Content of | 1.00 | Ponding | 1.00 |
| I I | organic matter | 1 | organic matter | | 1 | |
| I I | I | | 1 | | 1 | 1 |
| KoA: | I | | 1 | | 1 | 1 |
| Kosciusko 90 | | 1 | Not limited | | Somewhat limited | 1 |
| Table REC-1Recreation | Continued | | | | | |

| | Pct. of map unit | i I | | Picnic areas | Playgrounds | | | |
|---------------------|-------------------------------|---|---------------------------------------|---|---------------------------|---|----------------------------------|--|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value | |
| | ; | | | | | Gravel content | 0.08 | |
| oB: Kosciusko | 100 | Not limited | | Not limited | İ | Somewhat limited Slope Gravel content | 0.50 0.08 | |
| sC: Kosciusko | 1 | Somewhat limited Slope Gravel content | 0.04 | | 0.04 0.01 | | 1.00 1.00 0.01 | |
| bA: Martinsville | 90 | Not limited | | Not limited | | Not limited | | |
| oB: Martinsville | 90 | Not limited | | Not limited | | • | 0.50 | |
| oC: Martinsville | 1100 | - Somewhat limited Slope | 0.04 | Somewhat limited Slope | 0.04 | Very limited Slope | 1 1.00 | |
| c: Martisco | | Very limited Depth to saturated zone Content of organic matter Restricted | 1.00 1.00 1.00 | Very limited Depth to saturated zone Content of organic matter Restricted permeability | 1.00 0.43 | Very limited Depth to saturated zone Content of organic matter Restricted | 1.00 | |
| EB: Metea | | | | Somewhat limited Too sandy | 10.50 | | 0.50 0.50 | |
| C: etea | 1 | Too sandy Slope | 0.50 | Somewhat limited Too sandy Slope | 0.50 | Slope | 1.00 | |
| B: iami | 90 | Somewhat limited Restricted permeability | 0.98 | Somewhat limited Restricted permeability | 0.98 | Restricted permeability | 0.98 0.50 | |
| nC: Miami | 1 | Restricted permeability Slope | 0.98 | Somewhat limited Restricted permeability Slope | 0.98 0.04 | Slope Restricted | 1.00 0.98 | |
| hD: | į | : | İ | i I | į | | į | |

|Pct.| Picnic areas Map symbol Camp areas Playgrounds and soil name of |map |Value| Rating class and |Value| Rating class and Rating class and |Value limiting features limiting features limiting features 11.00 11.00 11.00 Slope Slope Slope Restricted Restricted Restricted 0.98 0.98 0.98 permeability permeability permeability MhE. 1100 |Verv limited . |Verv limited Miami-. |1.00 Slope Restricted . |1.00 Slope Restricted 1.00 Slope Restricted 10.98 10.98 10.98 permeability permeability permeability MkC3: Miami----100 |Somewhat limited Somewhat limited Very limited 0.98 0.98 1.00 Restricted Restricted Slope permeability permeability 10.04 10.04 Slope Slope Restricted 10.98 permeability Content of large 10.01 stones MkD3: . |Very limited Very limited -----1100 |Very limited Slope Restricted 11 00 Slope Restricted 11 00 Slope Restricted 11 00 0.98 0.98 10.98 permeability permeability Content of large permeability 0.01 stones Millgrove-----|100 |Very limited |Very limited |Very limited 11.00 11.00 11.00 Depth to | Depth to Depth to saturated zone saturated zone saturated zone Milford-----1100 Very limited 1.00 1.00 1.00 Depth to Depth to Depth to saturated zone saturated zone saturated zone Restricted 0.21 Restricted 0.21 Restricted 0.21 permeability permeability permeability MoC2: ----|100 |Verv limited |Verv limited |Verv limited Morlev-Restricted 11.00 Restricted 11.00 Slope 1.00 permeability Slope permeability Slope Restricted permeability Morley------I100 | Very limited Very limited 11.00 1.00 1.00 Restricted Restricted Slope permeability Slope permeability Slope 11.00 1.00 Restricted 11.00 permeability MoE2: |Very limited | |Verv limited Morlev-11.00 11.00 Slope 1.00 Slope Slope Restricted Restricted Restricted |1.00 |1.00 11.00 permeability permeability permeability Table REC-1.--Recreation--Continued Map symbol Pct. Camp areas Picnic areas Playgrounds and soil name | of map |unit| Rating class and |Value| Rating class and |Value Rating class and I Value limiting features limiting features limiting features MrC3: 1100 |Verv limited |Verv limited |Verv limited Morlev-Restricted 1.00 Restricted 11.00 Slope 1.00 permeability permeability Slope 0.04 0.04 Restricted 1.00 Slope permeability MrD3: Morley-----|100 |Very limited |Very limited |Verv limited

| | ı | Restricted | 1.00 | Restricted | 1.00 | Slope | 1.00 |
|---|--|---|---|---|--|---|----------------|
| | | permeability Slope | 11 00 | permeability | | 1 | 11.00 |
| | | Slope | 1 | slobe | | | 11.00 |
| Mx: | | | l I | | | | |
| Morocco | 90 | Very limited Depth to | 11.00 | Somewhat limited Depth to | 0.94 | Very limited Depth to | 11.00 |
| | | saturated zone | 1 | saturated zone | 1 | saturated zone | |
| | į | 100 Sandy | 1 | 100 Sandy | 10.02 | 100 Sanay | 1 |
| Mz: Muskego | 100 | Very limited | l I | Very limited | | Very limited | |
| | | Very limited Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Content of organic matter | | Content of organic matter | | | 11.00 |
| | | Restricted | 0.98 | | 0.98 | Restricted | |
| -1 - | | betweeptitch | | permeability | | permeability | |
| OhA: Oshtemo | | | | | | | |
| | I I | Too sandy | 0.32 | | | | 10.32 |
| Ormas | 35 | Somewhat limited | İ | l | 1 | l | i I |
| OTHES | | Too sandy | | Too sandy | 0.88 | Gravel content | 0.94 |
| | 1 | | l I | | | Too sandy | 0.88 |
| | | Somewhat limited | | | | Somewhat limited | |
| | 1 | Too sandy | 0.32 | | 0.32 | | 0.50 0.32 |
| | İ | | į | | | Gravel content | 10.08 |
| Ormas | 35 | Somewhat limited | | Somewhat limited | | Somewhat limited | i |
| | | Too sandy | U.88 | | | | 0.88 0.50 |
| OhC: | | | | | | İ | |
| Oshtemo | | Somewhat limited Too sandy | | | | | 1.00 |
| | | Slope | 0.04 | Slope | 0.04 | Too sandy | 0.32 |
| | 1 | | 1 | I . | 1 | Gravel content | |
| Orman | | - | | l . | 1 | İ | 0.08 |
| Ormas | 1 | Somewhat limited Too sandy | 0.88 | Somewhat limited Too sandy | 0.88 | Very limited Slope | 1.00 |
| | | Too sandy Slope | 0.88 | Somewhat limited Too sandy Slope | 0.88 | Very limited Slope Too sandy | i I |
| Ormas Table REC-1Recreat | | Too sandy Slope | 0.88 | Somewhat limited Too sandy Slope | 0.88 0.04 | Very limited Slope Too sandy | |
| | | Too sandy Slope | 0.88 | Somewhat limited Too sandy Slope | 0.88 0.04 | Very limited Slope Too sandy | |
| Table REC-1Recreat Map symbol | ion Pct. | Too sandy Slope Continued | 0.88 0.04 | Somewhat limited Too sandy Slope | 0.88 0.04 | Very limited Slope Too sandy | |
| Table REC-1Recreat Map symbol and soil name | ion Pct. of map | Too sandy Slope Continued Camp areas | 0.88 0.04 | Somewhat limited Too sandy Slope | 0.88 0.04 | Very limited Slope Too sandy | |
| Table REC-1Recreat Map symbol and soil name | Pct. of map unit | Too sandy Slope Continued Camp areas | 0.88 0.04 | | 0.88 0.04 | Very limited Slope Too sandy Playgrounds | 1 1.00 10.88 |
| Table REC-1Recreat Map symbol and soil name | Pct. of map unit | Too sandy Slope Continued Camp areas | 0.88 0.04 | | 0.88 0.04 | Very limited Slope Too sandy Playgrounds | |
| Table REC-1Recreat Map symbol and soil name | Pct. of map unit | Too sandy Slope Continued Camp areas | 0.88 0.04 | | 0.88 0.04 | Very limited Slope Too sandy Playgrounds | |
| Table REC-1Recreat Map symbol and soil name | | Too sandy Slope Continued Camp areas | 0.88 0.04 Value | | 0.88 0.04 | | |
| Table REC-1Recreat Map symbol and soil name OSC: | | Too sandy Slope Continued Camp areas | 0.88 0.04 Value | | 0.88 0.04 | | |
| Table REC-1Recreat Map symbol and soil name OSC: | | Too sandy Slope Continued Camp areas Rating class and I limiting features | 0.88 0.04 Value | | | | |
| Table REC-1Recreat Map symbol and soil name Osc: Oshtemo Kosciusko | | Too sandy Slope Continued Camp areas Rating class and Inimiting features Too sandy Somewhat limited Too sandy Slope Ill Somewhat limited | 0.88 0.04 | | | | |
| Table REC-1Recreat Map symbol and soil name Osc: Oshtemo Kosciusko | | Too sandy Slope Continued Camp areas | | | | | Value |
| Table REC-1Recreat Map symbol and soil name OsC: Oshtemo Kosciusko | | Too sandy Slope Continued Camp areas | | | | | |
| Table REC-1Recreat Map symbol and soil name Osc: Oshtemo Kosciusko | | Too sandy Slope Continued Camp areas | | | | | |
| Table REC-1Recreat Map symbol and soil name OsC: Oshtemo Riddles | | Too sandy Slope Continued Camp areas | | | | | |
| Table REC-1Recreat Map symbol and soil name OsC: Oshtemo Riddles | | Too sandy Slope | | | | | |
| Table REC-1Recreat Map symbol and soil name OsC: Oshtemo Riddles | | Too sandy Slope Continued Camp areas | | | | | |
| Table REC-1Recreat Map symbol and soil name OsC: Oshtemo Kosciusko Riddles Pa: Palms | | Too sandy Slope Continued Camp areas | | | | | |
| Table REC-1Recreat Map symbol and soil name OsC: Oshtemo Riddles | | Too sandy Slope Continued Camp areas | | | | | |
| Map symbol and soil name OsC: Oshtemo Riddles Pa: Palms | | Too sandy Slope Continued Camp areas | | | | | Value |
| Map symbol and soil name OsC: Oshtemo Riddles Pa: Palms | | Too sandy Slope Continued Camp areas | O.88 O.04 | | | | Value |

|Not rated

Pg: | | | Pits-----|100 |Not rated

PnA:

|Not rated

| Plainfield 9 | 0 Very limited | | 1 | Very limited | 1 |
|---------------|-----------------|-------------------------------------|-------|---------------------------------------|-------|
| I | Too sandy | 1.00 Too sandy | 11.00 | Too sandy | 1.00 |
| I | I | I I | | 1 | 1 |
| PnB: | I | I I | | 1 | 1 |
| Plainfield 10 | | | | | 1 |
| I | Too sandy | 1.00 Too sandy | 1.00 | Too sandy | 1.00 |
| I | 1 | 1 1 | | Slope | 1.00 |
| I | I | | | 1 | 1 |
| RaB: | I | | | | 1 |
| Rawson 9 | | Somewhat limited | | | 1 |
| I | | 0.98 Restricted | | | 10.98 |
| | | permeability | | | ! |
| ! | | 0.07 Depth to | 10.03 | Slope | 10.50 |
| ! | saturated zone | saturated zone | ! | | |
| ! | | | 1 | Depth to | 10.07 |
| ! | | | 1 | saturated zone | ! |
| 73 | | | 1 | ! | |
| Rb: | 0 177 | 1 1 | 1 | 1 1 1 1 | - ! |
| Kensselaer 10 | | Very limited | | | 11 00 |
| ! | saturated zone | 1.00 Depth to saturated zone | | | 1.00 |
| | Saturated Zone | Saturated Zone | 1 | Saturated Zone | - |
| RxA: | | | 1 | 1 | 1 |
| Riddles 9 | N INOt limited | | 1 | Not limited | 1 |
| vidates | O INOC TIMITED | | 1 | I I I I I I I I I I I I I I I I I I I | 1 |
| | 1 | 1 1 | 1 | 1 | 1 |

Table REC-1.--Recreation--Continued

| Map symbol and soil name | of map | Pct. Camp areas of map unit | | Picnic areas | | Playgrounds | | |
|-----------------------------|-------------------------------|--|--------------------------|--|--------------------------|---|-----------------------------------|--|
| | | Rating class and limiting features | | Rating class and limiting features | | | | |
| RxB: Riddles | - 90 | | | Not limited | | Somewhat limited Slope | 1 10.50 | |
| RxC: Riddles | | Somewhat limited Slope | | Somewhat limited Slope | | Very limited Slope | 11.00 | |
| RxD: Riddles | - 100 | Very limited Slope | 11.00 | | | Very limited Slope | 1 1.00 | |
| Ry: Riverdale | - 90 | Very limited Depth to saturated zone Too sandy | 1 | saturated zone | 0.94 | Depth to saturated zone | 11.00 | |
| Sh: Shoals | 1 | Very limited Flooding Depth to | 11.00 | Depth to saturated zone | 0.94 | Very limited Flooding Depth to | 1.00 1.00 | |
| Ud: Udorthents | | saturated zone Very limited Restricted | 1.00 | Very limited Restricted | 1.00 | saturated zone Very limited Restricted permeability | 1.00 1.00 | |
| W: Water | - 100 | Not rated | | Not rated | | Not rated | | |
| Wa: Wallkill | - 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | |
| Wh: Washtenaw | - 100 | Depth to saturated zone Restricted | 1.00 0.21 | Depth to saturated zone Restricted | 1.00 0.21 | Very limited Depth to saturated zone Restricted permeability | 1.00 | |
| WsB: Wawasee | | | 0.43 | | 0.43 | Somewhat limited Slope Restricted permeability | 0.50 | |
| WsC: Wawasee | - 100 | Somewhat limited | | Somewhat limited | | Very limited | | |

| Table REC-1Recreat | tion | Continued | | | | | |
|--------------------------|------------------------------------|------------------------------|---------------|--|---------------|------------------------------|---|
| Map symbol and soil name | Pct. of map unit | i I | | Picnic areas | | Playgrounds | |
| | | | | Rating class and limiting features | | | |
| | i ! | Slope | 10.04 | Slope | | Restricted permeability | 10.43 |
| WsD: Wawasee | - 100 | Slope Restricted | 1.00 0.43 | Slope Restricted | 1.00 0.43 | | 1 1.00 |
| WsE: Wawasee | - 100 | Slope Restricted | 1.00 | Slope Restricted | 11.00 | | 11.00 |
| WvC3: Wawasee | - 100 | Restricted permeability | 0.43 | permeability | 0.43 | Slope | 1.00 10.43 10.01 |
| WvD3: Wawasee | - 100 | Slope | 1.00 | Slope | 11.00 | Slope Restricted | 1 1.00 0.43 0.01 |
| Wx: Whitaker | - 90 | | 11.00 | Somewhat limited Depth to saturated zone | 0.94 | | 1 1 1 1 1 1 1 1 1 1 |